ISM Audit Checklist/Auditor's Notes

1	Facility/Vessel: SEACOR MARINE LLC WCN/Class # 837841
PART A	Report No:
1.2 OBJECTIVES	Seacon Mama idoc - Roman MI & US Flags
1.2.1 The objectives of the Code are to ensure safety at sea, prevention of human injury or loss of life, and avoidance of damage to the environment, in particular, to the marine environment, and to property.	2 19 April 2021 -> 19 April 2026
1.2.2 Safety management objectives of the Company should, inter alia:	
1.2.2.1 provide for safe practices in ship operation and a safe working environment;	
1.2.2.2 assess all identified risks to its ships, personnel and the environment and establish appropriate safeguards; and	Risk Arramot Activity Samples throughout Course or
1.2.2.3 continuously improve safety management skills of personnel ashore and aboard ships, including preparing for emergencies related both to safety and environmental protection.	Cylor Sent in Sur & Muse and warm
1.2.3 The safety management system should ensure:	
1.2.3.1 compliance with mandatory rules and regulations; and	
1.2.3.2 that applicable codes, guidelines, and standards recommended by the Organization, Administrations, classification societies and maritime industry organizations are taken into account.	1) Class / start Tracking 2) MI Safety Inspection;) Jan 21 - Partham) Prompt A
1.3 APPLICATION	31 PNV clare boots Feb21-
The requirements of this Code may be applied to all ships.	Seaso (mago (congo)
Emlsms 17	We me rays
son Soud Arabia	- SSAS tort (maus)
herlands > Sif in b Dhabi > Video Co	MSC-JBA-00005 - Revision 1 SEACOR POWER MBI Exhibit 63
And Both Branch	lated 18-20 minor
ISM Audit and Certification MSC-PRI-00139	MSC-JBA-00005 – Revision 1 Page 1 of 15 SEACOR POWER MBI Exhibit 63

Page 1 of 12

ABS 0459

	Facility/Vessel: _	SEACOR MARINE LLC	WCN/Class # Report No:	837841 4694026
1.4 FUNCTIONAL REQUIREMENTS FOR A SAFETY MANAGEMENT SYSTEM (SMS)			D. MAHAL	
Every company should develop, implement and maintain a Safety Management System (SMS) which includes the following functional requirements:	Sms (Fe	, ,,,)		
1.4.1 safety and environmental protection policy;				
1.4.2 instructions and procedures to ensure safe operations of ships and protection of the environment in compliance with relevant international and flag State legislation;				
1.4.3 defined levels of authority and lines of communication between, and amongst, shore and shipboard personnel;	bry c	chart-varked		
1.4.4 procedures for reporting accidents and nonconformities with the provisions of this Code;	145E	Performen Vin	myret	Ray.mu
1.4.5 procedures to prepare for and respond to emergency situations; and				
1.4.6 procedures for internal audits and management reviews.	Vority	infamil Aud. to		
2 SAFETY AND ENVIRONMENTAL PROTECTION POLICY	Pohaion		Review	ed throughour
2.1 The Company should establish a safety and environmental protection policy which describes how the objectives, given in paragraph 1.2, will be achieved.	Course 1) Rea	rionon) / Propos		
2.2 The Company should ensure that the policy is implemented and maintained at all levels of the organization both shipbased as well as shore-based.	z) mg	- 8	ut form	Support
sacca do non do choro sacca.	OFFIC	er & Immeha	'3 '	
	According to the second second			

	Facility/Vessel:	SEACOR MARINE LLC	WCN/Class # Report No:	837841 4694026
3 COMPANY RESPONSIBILITIES AND AUTHORITY	- 6.11	2014		
3.1 If the entity responsible for the operation of the ship is other than the owner, then the owner must report the full name and details of such entity to the Administration.		Doctorateura 9	Live -	
3.2 The Company should define and document the responsibility, authority and interrelation of all personnel who manage, perform and verify work relating to and affecting safety and pollution prevention.	***	- Fleet Ops W	STAFF BOLL	reday by .
3.3 The Company is responsible for ensuring that adequate resources and shore-based support are provided to enable the designated person or persons o carry out their functions.		Support War and Barner 1'd	ch office	id prov
		support to man		
To ensure the safe operation of each hip and to provide a link between the ompany and those on board, every company, as appropriate, should esignate a person or persons ashore aving direct access to the highest level of management. The responsibility and uthority of the designated person or ersons should include monitoring the afety and pollution prevention aspects of the operation of each ship and to insure that adequate resources and thore based support are applied, as equired.			- Pr	Sen /-

ISM Audit Checklist/Auditor's Notes

Facility/Vessel: SEACOR MARINE LLC WCN/Class # 837841
Report No: 4694026

5 MASTER'S RESPONSIBILITY AND AUTHORITY

- **5.** The Company should clearly define and document the Master's responsibility with regard to:
- **5.1.1** implementing the safety and environmental protection policy of the Company;
- **5.1.2** motivating the crew in the observation of that policy;
- **5.1.3** issuing appropriate orders and instructions in a clear and simple manner;
- **5.1.4** verifying that specified requirements are observed; and
- **5.1.5** periodically reviewing the SMS and reporting its deficiencies to the shore based management.
- 5.2 The Company should ensure that the SMS operating on board the ship contains a clear statement emphasizing the Master's authority. The Company should establish in the SMS that the Master has the overriding authority and the responsibility to make decisions with respect to safety and pollution prevention and to request the Company's assistance as may be necessary.

Sample Vesser reportue, Vin	
Samm & HELM -	
1) Safety meeting & consequency	Aull Activ. Z
2) 145E Performen - incica	lents, Spills
injuna ect	
1 mone & internal much	
83 mma. Submited IN 2020	
1) Daily Reports	
5) Vessel inspections & A	uctits.
() Crew/customer >	Suspenser Reporti
1 ONJOFF CHANTER Proceed	wen & Aports
1) Customer/Caryo Vapo	they & records.

	Facility/Vessel: _	SEACOR MARINE LLC	WCN/Class # Report No:	837841 4694026
6 RESOURCES AND PERSONNEL				
6.1 The Company should ensure that the Master is:)140/1	erround !	Trang
6.1.1 properly qualified for command;				
6.1.2 fully conversant with the Company's SMS; and	CHac	K master	/ SR OFFIC	es. & Crow
6.1.3 given the necessary support so that the Master's duties can be safely performed.	Evalua	from & m	out reten	
6.2 The Company should ensure that each ship is:	-	Cr	est	
6.2.1 manned with qualified, certificated and medically fit seafarers in accordance with national and international requirements; and	1) Fleet 2) Mann		reamants	
6.2.2 appropriately manned in order to encompass all aspects of maintaining safe operations on board.				
6.3 The Company should establish procedures to ensure that new personnel and personnel transferred to new assignments related to safety and protection of the environment are given proper familiarization with their duties. Instructions that are essential to be provided prior to sailing should be identified, documented and given.	Verity	Drientation &	traning pas	Gross S
6.4 The Company should ensure that all personnel involved in the Company's SMS have an adequate understanding of relevant rules, regulations, codes and guidelines.				
6.5 The Company should establish and maintain procedures for identifying any training that may be required in support of the SMS and ensure that such training is provided for all personnel concerned.	Verily	Calendar bar	el Chr. Il &	Warne, Pros
6.6 The Company should establish procedures by which the ship's personnel receive relevant information on the SMS in a working language or languages understood by them.	ELAN	onslo		
6.7 The Company should ensure that the ship's personnel are able to communicate effectively in the execution of their duties related to the SMS.	E1	Dorado OFF SHO C Cont. Find RP		mq

	Facility/Vessel:	SEACOR MARINE LLC	WCN/Class #	837841 4694026
			Report No:	4094020
7 SHIPBOARD OPERATIONS				
The Company should establish			- Addition of the second	**
procedures, plans and instructions, including checklists as appropriate, for	SHO	re point		
key shipboard operations concerning the safety of the personnel, ship and	-1	,		X AUG - AUG
protection of the environment. The various tasks should be defined and	5 15 054	/		
assigned to qualified personnel.				
Amm'	1-/15 Lm			
10-60-40 1)mgr	1			
יופייני עד יעט יעט	1		1150	
ests of Liver	+			200
Masela based				
S 4	/			
Fered Re Cops	4			
(v sw				
(v sw	National Control of the Control of t			
			200-55-0	
Mynt Meetings Canuminitations With	Bymch			
Mant Wit	2			
EGIEL EGIEL	,	1F1ext)		
Mant Meering With	A.d. +S	(1		
A 200 ALF IN	140	* *		
And I was	/'	/)		
Canmonial Koni Wiles Canmonial Koni Wiles And Syport Office And Syp	1/ 1/20	/)		
FIRE / Vettings	15/20	<i>f</i>)		
Communications Will Communica	Fleat)	<i>+</i>)		
Regulatory Conglian	Fleet) Fleet	<i>(</i>)		
Regulatory (Fleet)	<i>(</i>)		
And Support Vettings SIRE I Vettings Sarety Ruler Sarety Programs	Fleat)	<i>(</i>)		
STRE / Vetlings STRE / Vetlings Regulatory Safety Profrans Trainer	Flast) Flast	<i>(</i>)		

ISM Audit Checklist/Auditor's Notes

Facility/Vessel: SEACOR MARINE LLC

WCN/Class # 837841

					Report No:	4694026
8 EMERG	ENCY PREPAREDNESS					
potential	Company should ider emergency shipbo and establish procedures othem.	pard // s to			Basponn marci Ul	Plant,
programs	Company should estab for drills and exercises r emergency actions.	to				
measures organizatio hazards, situations i	SMS should provide ensuring that the Comparon can respond at any time accidents and emerge involving its ships.	e to the	roughout	Course	ox sudit	for all
SHORE S	side Pullo					
5 Feb . 21	Super Dilli in	Amenca				
	Cayma - Ens	1.EU 0.EU				
1 Feb 21	Cours Dil	/				
	Sena Rosta	opmol.				
		-				W
				U-2-W-1910-A-1111		
		<u> </u>				

	Facility/Vessel: SEACOR MARINE LLC WCN/Class # 837841 Report No: 4694026
9 REPORTS AND ANALYSIS OF NONCONFORMITIES, ACCIDENTS AND HAZARDOUS OCCURRENCES	A Beview Company Conertin retin Lose
9.1 The SMS should include procedures ensuring that nonconformities, accidents and hazardous situations are reported to the Company, investigated and analyzed with the objective of improving safety and pollution prevention.	2) " Vessel Constitut Deter Loge
9.2 The Company should establish procedures for the implementation of corrective action, including measures intended to prevent recurrence.	3) " Coursey HSE Partures
	- Pac. class & - 835 1 1211-17
_	Vertings
	MI Flag deticiones SIRIE
	OUID > / CMIII

Facility/Vessel: SEACOR MARINE LLC WCN/Class # 837841
Report No: 4694026

10 MAINTENANCE OF THE SHIP AND EQUIPMENT

- 10.1 The Company should establish procedures to ensure that the ship is maintained in conformity with the provisions of the relevant rules and regulations and with any additional requirements, which may be established by the Company.
- **10.2.** In meeting these requirements the Company should ensure that:
- 10.2.1 inspections are held at appropriate intervals;
- 10.2.2 any nonconformity is reported with its possible cause, if known;
- 10.2.3 appropriate corrective action is taken; and
- **10.2.4** records of these activities are maintained.
- 10.3 The Company should identify equipment and technical systems the sudden operational failure of which may result in hazardous situations. The SMS should provide for specific measures aimed at promoting the reliability of such equipment or system. These measures should include the regular testing of stand-by arrangements and equipment or technical systems that are not in continuous use.
- 10.4 The inspections mentioned in 10.2 as well as the measures referred to 10.3 should be integrated in the ship's operational maintenance routine.

Four 10 Drovidue
STREET LANGUE 2/200 Z 1200: Compress
1) Review SEU/LIFT boats SAMM/14ELM
STATUS OF PM; Open W/0's 2) 11 11 Job packagen - Customer
Pre Spot Pre Lord, Jackey Stabil. Complete Jobs. include, (Docs 9 carts)
Byon w/o's, (120CS & Cevis)
11) Lardup 1 Stand Procedum.
Vessel Statur (See All North Amain)
Every Mung

ISM Audit Checklist/Auditor's Notes

Facility/Vessel: SEACOR MARINE LLC

WCN/Class #

Report No:

837841

4694026

11 DOCUMENTATION	
11.1 The Company should establish and maintain procedures to control and documents and data, which are relevant to the SMS.	1300, en Company & Vessel records
11.2 The Company should ensure that:	
11.2.1 valid documents are available a all relevant locations;	
11.2.2 changes to documents are reviewed and approved by authorized personnel; and	
11.2.3 obsolete documents are promptly removed.	
11.3. The documents used to describe and implement the SMS may be referred to as the "Safety Management Manual". Documentation should be kept in a form that the Company considers most effective. Each ship should carry on board all documentation relevant to that ship.	Shople of Sainty meetings. 3) Fleet HSE Performance 6) North America, Commerciation with Buyana & Trinium 71 HR Trown Records & morning
	Mgrammete
	8/ Regulating Complimin

ISM Audit Checklist/Auditor's Notes

Facility/Vessel: SEACOR MARINE LLC

WCN/Class#

837841

	Report No: 4694026
12 COMPANY VERIFICATION, REVIEW AND EVALUATION	12 month Internet -> See Schoolake.
12.1 The Company should carry out internal safety audits on board and ashore at intervals not exceeding twelve months to verify whether safety and pollution-prevention activities comply with the safety management system. In exceptional circumstances, this interval may be exceeded by not more than three months.	Citeur Compagnuelet Scholik Flast wide
12.2 The Company should periodically verify whether all those undertaking delegated ISM-related tasks are acting in conformity with the company's responsibility under the Code.	Mynt Review 6-7 Oct 2020) on lamping (Included All OFFICES) SHOW point of so All to See
12.3 The Company should periodically evaluate the effectiveness of the SMS in accordance with procedures established by the Company.	Sensor me. 26-29 Jan 2021 in hard and
12.4 The audits and possible corrective actions should be carried out in accordance with documented procedures.	Sample Fleat internal mudit vegother
12.5 Personnel carrying out audits should be independent of the areas being audited unless this is impracticable due to the size and the nature of the Company.	
12.6 The results of the audits and reviews should be brought to the attention of all personnel having responsibility in the area involved.	
12.7 The management personnel responsible for the area involved should take timely corrective action on deficiencies found.	
desc	
14 thingh 2020 (all 08,8	Office)
8 0.047 -> (0.027 /x	ear and)
N 0.047 → (0.037 (x	ear ma)

From: Sent: To: Cc:		th 23, 2021 1:59 PM			
Subject:	[EXTERNAL]: D	OC Audit - Morgan City		10	
Good day					
-		ected attendance in perso iewing or file share if nee		with "Teams." w	ill be
Thanks					
QHSE		QHSE Manager/DPA/CSO			Global QHSE
QHSE	-	QHSE Superintendent			Americas
QHSE		QHSE Superintendent	Teams		Americas
QHSE		QHSE Superintendent	Teams		International B\
QHSE		QHSE Superintendent	Teams		Abu Dhabi Inc
Human Resource		HR Manager	T		Americas
Human Resource		Crewing Supervisor			Americas
Human Resource	-	Crewing Supervisor			Americas
		Crewing Supervisor			1
			·		
General Manager		General Manager North America			Americas
General Manager		General Manager Latin America	Teams		Americas
Operations		Operations Manager Latin America	Teams		Americas
Operations		Operations Manager North America			Americas
Operations		Operations Manager North America			Americas
Technical		Technical Manager Latin America	Teams		Americas

Chief Engineer

Technical

Teams

Americas